700

600

500

400

Maxtima[®]



BASF

MAPP 20599

An emulsifiable concentrate containing 100 g/litre (9.9 % w/w) mefentrifluconazole. A systemic fungicide for use on managed amenity turf.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

SAFETY PRECAUTIONS

Operator protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate. However, engineering controls may replace personal

protective equipment if a COSHH assessment shows that they provide an equal or higher standard of protection. WHEN USING DO NOT EAT, DRINK OR SMOKE. WASH HANDS AND EXPOSED SKIN before meals and after work

IF YOU FEEL UNWELL, seek medical advice immediately (show the label where possible).

Environmental protection

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads. To protect aquatic organisms respect an unsprayed buffer zone to surface water bodies in line with LERAP requirements.

300

DO NOT ALLOW DIRECT SPRAY from horizontal boom sprayers to fall within 5 metres of the top of the bank of a static or flowing water body, unless a Local Environment Risk Assessment for Pesticides (LERAP) permits a narrower buffer zone, or within 1 metre from the top of a ditch which is dry at the time of application.

Aim spray away from water.

This product qualifies for inclusion within the Local Environment Risk Assessment for Pesticides (LERAP) scheme

Before each spraving operation from a horizontal boom sprayer, either a LERAP must be carried out in accordance with CRD's published guidance or the statutory buffer zone must be maintained.

The results of the LERAP must be recorded and kept available for inspection for three years.

Storage and disposal

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS

KEEP OUT OF REACH OF CHILDREN.

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place, away from sources of heat

DO NOT RE-USE CONTAINER FOR ANY PURPOSE. RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of container safely.

Store in a suitable pesticide store. Keep dry and protect from frost.

This label is compliant with the CPA Voluntary Initiative Guidance

> The Voluntary Initiative

Maxtima[®]

An emulsifiable concentrate containing 100 g/litre (9.9 % w/w) mefentrifluconazole

Warning

Causes skin irritation.

May cause an allergic skin reaction. Causes serious eve irritation. Harmful if inhaled.

May cause respiratory irritation.

Very toxic to aquatic life with long lasting effects.

Wash contaminated body parts thoroughly after handling. Use only outdoors or in a well-ventilated area.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsina.

Call a POISON CENTRE or doctor/physician if you feel unwell. Store locked up.

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Contains a solution of a methacrylate-based polymer. May produce an allergic reaction.

To avoid risks to human health and the environment, comply with the instructions for use.

IMPORTANT INFORMATION

FOR USE ONLY AS A PROFESSIONAL FUNGICIDE				
Crops	Maximum individual dose	Maximum number of treatments	Timing of application	Aquatic buffer zone
Managed amenity turf	1.5 litres product/ha	2	Established turf	5 m

THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

UFI: MFFA-W3VR-Y00J-CDF7



® = Registered trademark of BASF



Supplied by:

BASF plc, 4th and 5th Floors, 2 Stockport Exchange, Railway Road, Stockport SK1 3GG, Telephone: 0161 475 3000

Emergency Information (24 hours freephone): 0049 180 227 3112 Technical Enquiries: 0845 602 2553 (office hours)



81169999 GB 2073

200

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

Maxtima is a systemic fungicide with protectant and curative properties for disease control in managed amenity turf.

Restrictions/Warnings

After spraying, wash out sprayer thoroughly according to manufacturer's guideline and dispose of washings and clean containers according to DEFRA Code of Practice and local authority guidelines.

Allow an interval of 27-36 days between treatments.

Disease control

Maxtima is a systemic fungicide with protectant and curative properties for disease control in managed amenity turf:

Disease	Level of control	
Fusarium patch (<i>Microdochium nivale</i>)	MC	
Dollar spot (<i>Clarireedia jacksonii</i>)	C	

C = Control

MC = Moderate Control

Resistance Management

GROUP	3	FUNGICIDE

Maxtima should be used in accordance with the instructions for use for the target diseases.

Use Maxtima as part of an Integrated Crop Management (ICM) strategy incorporating other methods of control, including where appropriate other fungicides with a different mode of action.

Maxtima should be used preventatively and should not be relied upon for its curative potential.

Crop Specific Information

Maxtima is a systemic fungicide with protectant and curative properties for disease control in managed amenity turf.

Time of Application

For best results apply Maxtima as a protectant treatment. Applications can be made at any time on established managed amenity turf.

Rate of Application

Boom sprayers

Apply 1.5 litres per hectare of Maxtima in 300 to 600 litres of water per hectare.

Knapsack sprayers

Apply 1.5 litres per hectare of Maxtima in 300 litres of water per hectare. Do not exceed 300 L/ha water volume for handheld spraying.

For smaller areas use Maxtima as follows:

	Per 100 m ² turf	Per 300 m² turf	Per 500 m² turf
Maxtima required	15ml	45ml	75ml
Water required (litres)	3	9	15

Mixing and Application

Mixing

Maxtima can be applied through boom sprayers or via knapsack application. Application equipment should be calibrated before use.

Do not exceed 300 L/ha water volume for knapsack spraying.

Apply as a MEDIUM spray, as defined by BCPC.

Half fill the spray tank with clean water and start the agitation. SHAKE THE CONTAINER WELL before use and pour in the required amount of product. Rinse any empty containers thoroughly and add rinsings to the spray tank. Add the remainder of the water and continue agitation until spraying is completed.

When tank mixes are to be used, each product should be added separately to the spray tank, taking due note of any instructions given as to the order of mixing.

All tank mixes should be used immediately after mixing.

Compatibility

For details of compatibilities contact your distributor, local BASF representative, the BASF Technical Services Hotline: 0845 602 2553 or visit our website www.agriCentre.basf.co.uk

The following does not form part of the authorised label text.

With many products there is a general risk of resistance developing to the active ingredients. For this reason a change in activity cannot be ruled out. It is generally impossible to predict with certainty how resistance may develop because there are so many crop and use connected ways of influencing this. We therefore have to exclude liability for damage or loss attributable to any such resistance that may develop. To help minimise any loss in activity the BASF recommended rate should in all events be adhered to.

Numerous, particularly regional or regionally attributable, factors can influence the activity of the product. Examples include weather and soil conditions, crop plant varieties, crop rotation, treatment times, application amounts, admixture with other products, appearance of organisms resistant to active ingredients and spraying techniques. Under particular conditions a change in activity or damage to plants cannot be ruled out. The manufacturer or supplier is therefore unable to accept any liability in such circumstances. All goods supplied by us are of high grade and we believe them to be suitable, but as we cannot exercise control over their mixing or use

or the weather conditions during and after application, which may affect the performance of the material, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us for any damage or injury whatsoever arising from their storage, handling, application or use; but nothing should be deemed to exclude or restrict any liability upon us which cannot be excluded or restricted under the provisions of the Unfair Contract Terms Act 1977 or any similar applicable law.

Section 6 of the Health and Safety at Work Act

Additional Product Safety Information

The product label provides information on a specific pesticidal use of the product; do not use otherwise, unless you have assessed any potential hazard involved, the safety measures required and that the particular use has "off-label" approval or is otherwise permitted under the Plant Protection Products Regulations.

The information on this label is based on the best available information including data from test results.

Safety Data Sheet

To access the Safety Data Sheet for this product scan the QR code or use the weblink below:



agricentre.basf.co.uk/Maxtima/MSDS Alternatively, contact your supplier.

ml 800

700

600

500

300

Maxtima[®]



BASF

MAPP 20599

An emulsifiable concentrate containing 100 g/litre (9.9 % w/w) mefentrifluconazole. A systemic fungicide for use on managed amenity turf.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

SAFETY PRECAUTIONS

Operator protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment: WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS).

SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate. However, engineering controls may replace personal protective equipment if a COSHH assessment shows that they provide an equal or higher standard of protection. WHEN USING DO NOT EAT. DRINK OR SMOKE.

WASH HANDS AND EXPOSED SKIN before meals and after work. IF YOU FEEL UNWELL, seek medical advice immediately

400 (show the label where possible)

Environmental protection

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads. To protect aquatic organisms respect an unsprayed buffer zone to surface water bodies in line with LERAP requirements.

DO NOT ALLOW DIRECT SPRAY from horizontal boom sprayers to fall within 5 metres of the top of the bank of a static or flowing water body, unless a Local Environment Risk Assessment for Pesticides (LERAP) permits a narrower buffer zone, or within 1 metre from the top of a ditch which is dry at the time of application. Aim spray away from water.

This product qualifies for inclusion within the Local Environment Risk Assessment for Pesticides (LERAP) scheme.

Before each spraying operation from a horizontal boom sprayer, either a LERAP must be carried out in accordance with CRD's published guidance or the statutory buffer zone must be maintained.

The results of the LERAP must be recorded and kept available for inspection for three years.

Storage and disposal

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

KEEP OUT OF REACH OF CHILDREN. KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place, away from sources of heat. DO NOT RE-USE CONTAINER FOR ANY PURPOSE. RINSE CONTAINER THORAW PURPOSE. RINSE CONTAINER THORAUCHLY busing an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling

and dispose of container safely. Store in a suitable pesticide store. Keep

dry and protect from frost.

This label is compliant with the CPA Voluntary Initiative Guidance

Supplied by:

BASF plc, 4th and 5th Floors, 2 Stockport Exchange, Railway Road, Stockport SK1 3GG, Telephone: 0161 475 3000

Emergency Information (24 hours freephone): 0049 180 227 3112 Technical Enquiries: 0845 602 2553 (office hours)

Maxtima®

An emulsifiable concentrate containing 100 g/litre (9.9 % w/w) mefentrifluconazole

Warning

Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled.

May cause respiratory irritation.

Very toxic to aquatic life with long lasting effects.

Wash contaminated body parts thoroughly after handling. Use only outdoors or in a well-ventilated area.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTRE or doctor/physician if you feel unwell. Store locked up.

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Contains a solution of a methacrylate-based polymer. May produce an allergic reaction.

To avoid risks to human health and the environment, comply with the instructions for use.

IMPORTANT INFORMATION

	FOR USE ONLY AS A PROFESSIONAL FUNGICIDE				
	Crops	Maximum individual dose	Maximum number of treatments	Timing of application	Aquatic buffer zone
	Managed amenity turf	1.5 litres product/ha	2	Established turf	5 m
DEAD THE LABEL BEFORE LISE LISING THIS DODUCT IN A MANNED THAT IS INCONSISTENT WITH					NOTENT WITH

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

UFI: MFFA-W3VR-Y00J-CDF7



Registered trademark of BASF



B1169999 GB 2073