according to Regulation (EC) No. 1907/2006

Floranid® Twin Turf BS 20-5-8



Version: 4.4 Revision Date:
Date of last issue: 19.07.2022 26.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Floranid® Twin Turf BS 20-5-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Fertilizer

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH

Krögerweg 10 D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person

responsible for the SDS

: info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h

Telephone: +49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : Not a hazardous substance or mixture ac-

cording to Regulation (EC) No. 1272/2008.

Supplemental Hazard

: EUH210

Safety data sheet available on request.

Statements

Further information : German "Hazardous Substances" legislation (Ge-

fahrstoffverordnung) appendix I, No. 5 (Ammonium Nitrate

group C III)

2.3 Other hazards

None known.

according to Regulation (EC) No. 1907/2006

Floranid® Twin Turf BS 20-5-8



Version: 4.4 Revision Date:
Date of last issue: 19.07.2022 26.12.2022

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Fertilizer

NPK - fertilizer contains:N,N'-(2-Methylpropyliden)-bis-urea, ammonium nitrate, potasium salt, ammonium salt, phosphate, magnesium salt, calcium salt, trace element combination.

with living microorganisms

Bacillus subtilis

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
ammonium nitrate	6484-52-2 229-347-8 01-2119490981-27- XXXX	Ox. Sol. 3; H272 Eye Irrit. 2; H319	>= 10 - < 45
N,N"-(isobutylidene)diurea	6104-30-9 228-055-8 01-2119457269-28- XXXX		>= 10 - <= 45

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Wash hands with water as a precaution.

If inhaled : Move to fresh air in case of accidental inhalation of fumes

from overheating or combustion.

Obtain medical attention.

In case of lung irritation, first treatment with dexametason

aerosol (spray).

In case of skin contact : Wash off with plenty of water.

In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Ingestion may provoke the following symptoms:

Methaemoglobinemia

according to Regulation (EC) No. 1907/2006

Floranid® Twin Turf BS 20-5-8



Version: 4.4 **Revision Date:** Date of last issue: 19.07.2022 26.12.2022

Inhalation of decomposition products in high concentration

may cause shortness of breath (lung oedema).

4.3 Indication of any immediate medical attention and special treatment needed

: Treat symptomatically. Treatment

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water

Unsuitable extinguishing

media

: Foam

Dry chemical

Carbon dioxide (CO2)

Sand

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Can decompose at above 100 °C. Thermal decomposition

products:

Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide, ammo-

Isobutyraldehyd

5.3 Advice for firefighters

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Keep away from children.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Retain and dispose of contaminated wash water.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

6.4 Reference to other sections

none

according to Regulation (EC) No. 1907/2006

Floranid® Twin Turf BS 20-5-8



Version: 4.4 Revision Date:
Date of last issue: 19.07.2022 26.12.2022

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Protect from contamination.

Keep away from direct sunlight.

Protect against heat. Protect from moisture.

Advice on protection against

fire and explosion

: The product is not flammable. Keep away from sources of ignition - No smoking. Keep away from combustible materials. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Risk of explosion if heated

under confinement.

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: When stored loose do not mix with other fertilizers. Store well away from other substances. Keep away from direct sunlight. Protect against heat. Protect from contamination. Protect from

moisture.

Storage class (TRGS 510) : 5.1C, Ammonium nitrate and ammonium nitrate containing

preparations

Dampness : Keep in a dry place.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m3
	Workers	Skin contact	Long-term systemic effects	5,12 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m3
	Consumers	Skin contact,	Long-term systemic	2,56 mg/kg

according to Regulation (EC) No. 1907/2006

Floranid® Twin Turf BS 20-5-8



Version: 4.4 Revision Date:
Date of last issue: 19.07.2022 26.12.2022

		Ingestion	effects	bw/day	
N,N"- (isobutylidene)diurea	Workers	Skin contact	systemic effects	37,5 mg/m3	
Remarks:	Continuous exposure				
	Workers	Inhalation	systemic effects	66,12 mg/m3	
Remarks:	Continuous exposure				
	Consumers	Skin contact	systemic effects	18,75 mg/m3	
Remarks:	Continuous exposure				
	Consumers	Inhalation	systemic effects	16,31 mg/m3	
Remarks:	Continuous exposure				
	Consumers	Ingestion	systemic effects	9,375 mg/m3	
Remarks:	Continuous exposure				

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ammonium nitrate	Sewage treatment plant	18 mg/l
N,N"-(isobutylidene)diurea	Fresh water	0,5 mg/l
	Marine water	0,05 mg/l
	Fresh water sediment	1,76 mg/l
	Marine sediment	0,176 mg/l
	Soil	10,7 mg/l
	Behaviour in waste water treatment plants	640 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : In case of dust formation:

Tightly fitting safety goggles

Hand protection

Material : Gloves

Skin and body protection : No special protective equipment required.

Respiratory protection : respiratory protection only if aerosol or dust is formed.

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.

Retain and dispose of contaminated wash water.

according to Regulation (EC) No. 1907/2006

Floranid® Twin Turf BS 20-5-8



Version: 4.4 Revision Date:
Date of last issue: 19.07.2022 26.12.2022

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : granular

Colour : various

Odour : odourless

Odour Threshold : No data available

pH : ca. 6,2, Concentration: 100 g/l (20 °C)

Melting point/range : No data available

Boiling point/boiling range : Not applicable

Flash point : Not relevant

Evaporation rate : Not applicable

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit : Not applicable

Lower explosion limit : Not applicable

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Bulk density : ca. 860 kg/m³

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : Not applicable

Decomposition temperature : > 130 °C

To avoid thermal decomposition, do not overheat.

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

according to Regulation (EC) No. 1907/2006

Floranid® Twin Turf BS 20-5-8



Version: 4.4 Revision Date:
Date of last issue: 19.07.2022 26.12.2022

Oxidizing properties : Not applicable

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed.

Decomposes on heating.

10.3 Possibility of hazardous reactions

Hazardous reactions : Evolution of ammonia under influence of alkalies.

10.4 Conditions to avoid

Conditions to avoid : Keep away from heat and sources of ignition.

10.5 Incompatible materials

Materials to avoid : oxidizable substances

Strong acids and strong bases

10.6 Hazardous decomposition products

Hazardous decomposition

products

: Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide, ammo-

nia

Isobutyraldehyd

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Remarks: No data available

Health injuries are not known or expected under normal use.

Acute dermal toxicity : Remarks: No data available

Health injuries are not known or expected under normal use.

Components:

ammonium nitrate:

according to Regulation (EC) No. 1907/2006

Floranid® Twin Turf BS 20-5-8



Version: 4.4 Revision Date:
Date of last issue: 19.07.2022 26.12.2022

Acute oral toxicity : LD50 (Rat): > 2.950 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : > 88,8 mg/l

Method: No information available.

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

N,N"-(isobutylidene)diurea:

Acute oral toxicity : LD50 (Rat): > 10.000 mg/kg

Remarks: Calculation method

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Product:

Result: non-irritant

Remarks: The product has not been tested. The information is derived from the properties of the

individual components.

Components:

ammonium nitrate:

Species: Rabbit

Method: OECD Test Guideline 404

Result: non-irritant

Serious eye damage/eye irritation

Product:

Species: Rabbit

Method: OECD Test Guideline 405

Result: non-irritant

Remarks: The product was not tested. The statement was derived from products of similar struc-

ture and composition.

Components:

ammonium nitrate:

Species: Rabbit

Method: OECD Test Guideline 405

Result: Irritant

Respiratory or skin sensitisation

Product:

according to Regulation (EC) No. 1907/2006

Floranid® Twin Turf BS 20-5-8



Version: 4.4 Revision Date:
Date of last issue: 19.07.2022 26.12.2022

Result: non-sensitizing

Remarks: The product has not been tested. The information is derived from the properties of the

individual components.

Components:

ammonium nitrate:

Result: Does not cause skin sensitisation.

N,N"-(isobutylidene)diurea:

Species: Mouse

Method: OECD Guideline 429

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Components:

ammonium nitrate:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: negative

N,N"-(isobutylidene)diurea:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

Carcinogenicity

Product:

Remarks: Contains no ingredient listed as a carcinogen

Components:

ammonium nitrate:

Species: Rat

Remarks: Animal testing did not show any carcinogenic effects.

N,N"-(isobutylidene)diurea:

Remarks: Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Product:

Effects on fertility :

Remarks: No toxicity to reproduction

The product has not been tested. The information is derived

from the properties of the individual components.

according to Regulation (EC) No. 1907/2006

Floranid® Twin Turf BS 20-5-8



Version: 4.4 **Revision Date:** Date of last issue: 19.07.2022 26.12.2022

Components:

ammonium nitrate:

Effects on fertility : Species: Rat

Remarks: Animal testing did not show any effects on fertility.

Effects on foetal develop-

Species: Rat

ment Remarks: Did not show teratogenic effects in animal experi-

ments.

N,N"-(isobutylidene)diurea:

Effects on fertility

Remarks: Animal testing did not show any effects on fertility.

Effects on foetal develop-

ment

: Remarks: Did not show teratogenic effects in animal experi-

ments.

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Remarks: The product has not been tested. The information is derived from the properties of the individual components.

Components:

N,N"-(isobutylidene)diurea:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Remarks: The product has not been tested. The information is derived from the properties of the individual components.

Components:

N,N"-(isobutylidene)diurea:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

according to Regulation (EC) No. 1907/2006

Floranid® Twin Turf BS 20-5-8



Version: 4.4 Revision Date:
Date of last issue: 19.07.2022 26.12.2022

ammonium nitrate:

Species: Rat

NOAEL: > 1.500 mg/kg Application Route: Oral Exposure time: 28 d

Species: Rat

NOAEL: = 256 mg/kg Application Route: Oral Exposure time: 52 w

Method: OECD Test Guideline 453

Species: Rat

NOAEL: >= 185 mg/kg

Application Route: by inhalation

Exposure time: 2 w

Method: Repeated Dose Inhalation Toxicity: 28-day or 14-day Study.

Further information

Product:

Remarks: Danger of methaemoglobin formation.

The product was not tested. The statement was derived from products of similar structure and

composition.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: Directive 84/449/EEC, C.2

Toxicity to algae : EC50 (Scenedesmus subspicatus): > 100 mg/l

Exposure time: 72 h Method: DIN 38412

Components:

ammonium nitrate:

Toxicity to fish : LC50 (Fish): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia (water flea)): 490 mg/l

Exposure time: 48 h

according to Regulation (EC) No. 1907/2006

Floranid® Twin Turf BS 20-5-8



Version: 4.4 Revision Date:
Date of last issue: 19.07.2022 26.12.2022

LC50: 490 mg/l

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 1.700 mg/l

Exposure time: 10 d

N,N"-(isobutylidene)diurea:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna): ca. 500 mg/l

Exposure time: 48 h

Method: Directive 84/449/EEC, C.2

Toxicity to algae : EC50 (Scenedesmus subspicatus): > 500 mg/l

Exposure time: 72 h Method: DIN 38412

Toxicity to bacteria : EC0 (Pseudomonas putida): ca. 640 mg/l

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removabil-

ity

: DOC reduction

ca. 85 %

Method: OECD 301E/92/69/EWG, C.4-B Remarks: Readily eliminated from water

Components:

ammonium nitrate:

Biodegradability : Remarks: The methods for determining the biological degra-

dability are not applicable to inorganic substances.

N,N"-(isobutylidene)diurea:

Biodegradability : Remarks: The product is miscible in water and readily biode-

gradable in both water and soil. Accumulation is not expected.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Components:

ammonium nitrate:

according to Regulation (EC) No. 1907/2006

Floranid® Twin Turf BS 20-5-8



Version: 4.4 Revision Date:
Date of last issue: 19.07.2022 26.12.2022

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: log Pow: -3,1

N,N"-(isobutylidene)diurea:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environ-

mental compartments

: Remarks: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : Remarks: Not applicable

Components:

N,N"-(isobutylidene)diurea:

Assessment : Remarks: Not applicable

12.6 Other adverse effects

Product:

Additional ecological infor-

mation

: Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentra-

tions.

There is a high probability that the product is acute not harm-

ful to aquatic organisms.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Check if agriculture use is possible.

Contact manufacturer.

Contaminated packaging : Contaminated packaging should be emptied as far as possi-

ble; then it can be passed on for recycling after being thor-

oughly cleaned.

SECTION 14: Transport information

according to Regulation (EC) No. 1907/2006

Floranid® Twin Turf BS 20-5-8



Version: 4.4 Revision Date:
Date of last issue: 19.07.2022 26.12.2022

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class

(Germany)

: WGK 1 slightly water endangering

Other regulations

: TRGS 511 'Ammonium nitrate'

This product is subject to Regulation (EU) 2019/1148; suspicious transactions, disappearance or theft of the product must

be reported to the relevant authority.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this product.

SECTION 16: Other information

Full text of H-Statements

H272 : May intensify fire; oxidizer. H319 : Causes serious eye irritation.

Full text of other abbreviations

Eye Irrit. : Eye irritation
Ox. Sol. : Oxidizing solids

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American So-

according to Regulation (EC) No. 1907/2006

Floranid® Twin Turf BS 20-5-8



Version: 4.4 Revision Date:
Date of last issue: 19.07.2022 26.12.2022

ciety for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN