Printing date 01.09.2021

Revision: 01.09.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- Trade name: Absolute Advanced Legion 5-5-10 +6% Fe
- · Registration number Mixture
- \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Sector of Use SU1 Agriculture, forestry, fishery
- Product category PC12 Fertilisers
- · Application of the substance / the mixture Fertiliser
- · Uses advised against

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Any use involving aerosol formation or vapour or dust release in excess of the assigned workplace exposure limits where workers are exposed without suitable respiratory protective equipment (RPE). Processes involving extreme heat use advised against.

• 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Agrovista UK Ltd Rutherford House Nottingham Science and Technology Park University Boulevard Nottingham NG7 2PZ UK

Tel: +44 (0)1952 897910

- Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:
- UK National Poisons Information Service. E-mail: npis.birmingham@nhs.net; Tel: +44 (0)344 892 0111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- \cdot Hazard pictograms GHS05, GHS07
- · Signal word Danger
- **Hazard-determining components of labelling:** Superphosphates Iron sulphate
- · Hazard statements
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.

(Contd. on page 2)

GB

Printing date 01.09.2021

Revision: 01.09.2021

Trade name: Absolute Advanced Legion 5-5-10 +6% Fe

	(Contd. of page 1)			
· Precautionary statements				
P102	Keep out of reach of children.			
P260	Do not breathe dust.			
P270	Do not eat, drink or smoke when using this product.			
P280	Wear protective gloves/protective clothing/eye protection/face protection.			
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.			
P302+P352	IF ON SKIN: Wash with plenty of water.			
P305+P351+P	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if			
	present and easy to do. Continue rinsing.			
· Additional inf	· Additional information:			
EUH401 To av	EUH401 To avoid risks to human health and the environment, comply with the instructions for use.			
· 2.3 Other haz	2.3 Other hazards			
· Results of PBT and vPvB assessment				

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: A blend of naturally derived organic materials and minerals with multifunctional additives.

· Dangerous components:				
	Superphosphates	>10-≤25%		
EINECS: 232-379-5	Eye Dam. 1, H318			
CAS: 7720-78-7	Iron sulphate	>10-≤25%		
EINECS: 231-753-5	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319			
CAS: 14808-60-7	Quartz (SiO2)	>2.5-≤10%		
EINECS: 238-878-4	substance with a Community workplace exposure limit			
Additional information: For the wording of the listed bazard phrases refer to section 16				

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- DO NOT DELAY!
- Check for and remove any contact lenses.
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- DO NOT DELAY!

Rinse out mouth and then drink plenty of water.

- Do not induce vomiting; call for medical help immediately.
- If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
- Call for a doctor immediately.
- Information for doctor: Treat symptomatically and supportively.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)

GR

Printing date 01.09.2021

Revision: 01.09.2021

Trade name: Absolute Advanced Legion 5-5-10 +6% Fe

(Contd. of page 2)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

 \cdot Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
 Avoid formation of dust.
 Ensure adequate ventilation
 Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course in the undiluted form.

- Do not allow product to reach sewage system or any water course.
- **6.3 Methods and material for containment and cleaning up:** Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

• **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

Ensure good ventilation/exhaustion at the workplace.

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility:

- Store away from foodstuffs. Store away from oxidising agents.
- Further information about storage conditions:

Protect from humidity and water.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

 \cdot 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 01.09.2021

Revision: 01.09.2021

Trade name: Absolute Advanced Legion 5-5-10 +6% Fe

(Contd. of page 3)

(Contd. of page 3)		
SECTION 8: Exposure controls/personal protection		
She more exposure controls/personal protection		
· 8.1 Control parameters		
• Additional information about design of technical facilities: No further data; see item 7.		
· Ingredients with limit values that require monitoring at the workplace:		
7720-78-7 Iron sulphate		
WEL Short-term value: 2 mg/m ³		
Long-term value: 1 mg/m ³		
as Fe		
14808-60-7 Quartz (SiO2)		
WEL Long-term value: 0.1 mg/m ³ Silica,respirable crystalline. Respirable fraction		
• Additional information: The lists valid during the making were used as basis.		
· 8.2 Exposure controls		
· Personal protective equipment:		
· General protective and hygienic measures:		
Do not breath dust		
Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing		
Wash hands before breaks and at the end of work.		
Avoid contact with the eyes and skin.		
Take note of assigned Workplace Exposure Limits.		
• Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. • Protection of hands:		
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the		
 Penetration time of glove material Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: 		
Tightly sealed goggles		
• Body protection: Impervious protective clothing Body protection must be chosen depending on product properties, activity and possible exposure.		
SECTION 9: Physical and chemical properties		
 9.1 Information on basic physical and chemical properties General Information Appearance: 		

Form:

Granulate

(Contd. on page 5)

GB

Printing date 01.09.2021

Revision: 01.09.2021

Trade name: Absolute Advanced Legion 5-5-10 +6% Fe

	(Contd. of page 4)
Colour:	Various colours
· Odour:	Mild
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/freezing point: 	Undetermined.
Initial boiling point and boiling range	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not determined.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.
• Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Partly soluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.00~%
VOC (EC)	0.00 %
• 9.2 Other information	NOTE: The physical data presented above are typical values and should not be construed as a specification.
	· · · · · · · · · · · · · · · · · · ·

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- To avoid thermal decomposition do not overheat.
- \cdot 10.3 Possibility of hazardous reactions No dangerous reactions known.
- \cdot 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:
- Strong acids.
- Strong bases.
- Strong oxidising agents.
- 10.6 Hazardous decomposition products:
- Carbon monoxide and carbon dioxide Sulphur oxides (SOx) Metal oxide

(Contd. on page 6)

GB

Printing date 01.09.2021

Revision: 01.09.2021

(Contd. of page 5)

Trade name: Absolute Advanced Legion 5-5-10 +6% Fe

Nitrogen oxides (NOx)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- Harmful if swallowed.
- · Primary irritant effect:
- \cdot Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability The organic portion of the product is biodegradable.
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- $\cdot \ \textbf{Recommendation}$
- Recommended Hierarchy of Controls:
- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Contact waste processors for recycling information.

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

(Contd. on page 7)

GB -

Printing date 01.09.2021

Revision: 01.09.2021

Trade name: Absolute Advanced Legion 5-5-10 +6% Fe

(Contd. of page 6)

· Uncleaned packaging:

· Recommendation:

Container remains hazardous when empty. Continue to observe all precautions.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

SECTION 14: Transport information

SECTION 14. Transport mitor mation				
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void			
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void			
· 14.3 Transport hazard class(es)				
· ADR, ADN, IMDG, IATA · Class	Void			
· 14.4 Packing group · ADR, IMDG, IATA	Void			
· 14.5 Environmental hazards:	Not applicable.			
· 14.6 Special precautions for user	Not applicable.			
• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.				
· Transport/Additional information:	Not dangerous according to the above specifications.			
· UN "Model Regulation":	Void			

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- Abbreviations and acronyms:
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 8)

GE

Printing date 01.09.2021

Revision: 01.09.2021

(Contd. of page 7)

Trade name: Absolute Advanced Legion 5-5-10 +6% Fe

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Annex: Exposure scenario

- Product category PC12 Fertilisers
- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Solid
- · Concentration of the substance in the mixture The substance is main component.
- Used amount per time or activity According to directions for use.
- · Other operational conditions
- Other operational conditions affecting environmental exposure Observe section 6 of the Safety Data Sheet (Accidental release measures).
- \cdot Other operational conditions affecting worker exposure
- Avoid contact with eyes.
- Avoid contact with the skin.
- Do not breathe dust.
- Keep away from food, drink and animal feedingstuffs.
- Ensure adequate ventilation, especially in closed rooms.
- Avoid direct contact with the chemical /product / preparation by organisational measures.
- · Other operational conditions affecting consumer exposure Keep out of the reach of children.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures
- Deploy only trained chemical workers.
- Handling procedures must be well documented.
- Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.
- Ensure that the working area is organised, well lit and ventilated, with enough space to handle spilled product. Keep away from food, beverages and animal feed.
- Provide washing facilities in the workplace.
- · Technical protective measures
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of dust.
- Any unavoidable deposit of dust must be regularly removed.
- Store in cool, dry place in tightly closed receptacles.
- Keep away from heat and direct sunlight.
- Washing facilities / Water for cleaning eyes and skin should be available.
- · Personal protective measures
- Do not inhale dust / smoke / mist.
- Avoid contact with the skin.
- Avoid contact with the eyes.
- Tightly sealed goggles
- Protective gloves
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Do not eat or drink while working.

Printing date 01.09.2021

Revision: 01.09.2021

Trade name: Absolute Advanced Legion 5-5-10 +6% Fe

(Contd. of page 8)

GR

Ensure that washing facilities are available at the work place.

Use suitable respiratory protective device in case of insufficient ventilation.

 \cdot Measures for consumer protection \mbox{Ensure} adequate labelling.

- · Environmental protection measures
- · Water Do not allow product to reach sewage system or any water course in the undiluted form.
- Soil No special measures required.

· Disposal measures

Ensure that waste is collected and contained.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.