Printing date 02.03.2023 Version number 1 Revision: 02.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: 6 Iron

· CAS Number:

7782-63-0

 \cdot EC number:

231-753-5

· Index number:

026-003-01-4

- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU1 Agriculture, forestry, fishery
- · Product category PC12 Fertilisers
- · Application of the substance / the mixture Fertiliser
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Agrovista UK Ltd

Rutherford House

Nottingham Science and Technology Park

University Boulevard

Nottingham

NG7 2PZ

UK

Tel: +44 (0)1952 897910

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

- \cdot 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard-determining components of labelling:

ferrous sulfate heptahydrate

Sulphuric acid

· Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

 $\cdot \ Precautionary \ statements$

P280 Wear eye protection / face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31 as amended

Version number 1 Revision: 02.03.2023 Printing date 02.03.2023

Trade name: 6 Iron

Rinse mouth.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention. P332+P313

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances

· CAS No. Description

7782-63-0 ferrous sulfate heptahydrate

· Identification number(s)

• EC number: 231-753-5 · Index number: 026-003-01-4

· Impurities and stabilising additives:

CAS: 7664-93-9

Sulphuric acid

EINECS: 231-639-5

Skin Corr. 1A, H314

Specific concentration limits: Skin Corr. 1A; H314: C ≥ 15 %

Skin Irrit. 2; H315: 5 % ≤ C < 15 % Eye Irrit. 2; H319: 5 % ≤ C < 15 %

· Dangerous components:

CAS: 7664-93-9

EINECS: 231-639-5

Sulphuric acid

Skin Corr. 1A, H314

0.1-1%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eve contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

- · Information for doctor: Treat symptomatically and supportively.
- · 4.2 Most important symptoms and effects, both acute and delayed Nausea
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Printing date 02.03.2023 Version number 1 Revision: 02.03.2023

Trade name: 6 Iron

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

In case of fire, the following can be released:

Sulphur Oxides (SOx)

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

 \cdot 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Do not store in aluminium, galvanised or copper containers.

· Information about storage in one common storage facility:

Do not store together with acids.

Store away from oxidising agents.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Storage class: 13
- · 7.3 Specific end use(s) No further relevant information available.

GR

Printing date 02.03.2023 Version number 1 Revision: 02.03.2023

Trade name: 6 Iron

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

7720-78-7 Iron sulphate

WEL Short-term value: 2 mg/m³ Long-term value: 1 mg/m³ as Fe

7664-93-9 Sulphuric acid

WEL Long-term value: 0.05* mg/m³
*mist: defined as thoracic fraction

· DNELs

Workers - Dermal; Long term systemic effects: 2.8 mg/kg

General population - Dermal; Long term systemic effects: 1.4 mg/kg General Population - Oral; Long term systemic effects: 0.28 mg/kg General Population - Oral; Short term systemic effects: 20 mg/kg

- · PNECs No hazards identified.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

Thickness: 0.1 mm.

Break-through time: 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection:

Acid resistant protective clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

GB

Revision: 02.03.2023 Printing date 02.03.2023 Version number 1

Trade name: 6 Iron

(Contd. of page 4)

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:

· pH-value:

Solid Form: Colour: Light green · Odour: Acidic · Odour threshold: Not determined. Not applicable.

· Change in condition

Melting point/freezing point: 64 °C **Initial boiling point and boiling range:** >300 °C

· Flash point: Not applicable.

· Flammability (solid, gas): Product is not flammable.

· Decomposition temperature: Not determined.

Not determined. · Ignition temperature:

· Explosive properties: Product does not present an explosion hazard.

Not determined.

· Explosion limits: Lower:

Not determined. Upper: · Vapour pressure at 20 °C: <0.1 hPa 1.9 g/cm³ · Density at 20 °C:

· Relative density Not determined. Not applicable. · Vapour density · Evaporation rate Not applicable.

· Solubility in / Miscibility with

water at 20 °C: 400 g/l

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

· 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions

Reacts with metals forming hydrogen.

Reacts with oxidising agents.

Reacts with alkali (lyes).

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Alkalis

Strong oxidising agents.

Metals

· 10.6 Hazardous decomposition products:

Hydrogen

(Contd. on page 6)

Printing date 02.03.2023 Version number 1 Revision: 02.03.2023

Trade name: 6 Iron

Sulphur oxides (SOx)

(Contd. of page 5)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 506 mg/kg (rat)

7720-78-7 Iron sulphate

Oral LD50 300 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot \ \textbf{Reproductive toxicity} \ \text{Based on available data, the classification criteria are not met.}$
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability

Inorganic product, is not eliminable from water by means of biological cleaning processes.

- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Contact waste processors for recycling information.

(Contd. on page 7)

Printing date 02.03.2023 Version number 1 Revision: 02.03.2023

Trade name: 6 Iron

(Contd. of page 6)

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.	
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN ''Model Regulation'':	Void

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H314 Causes severe skin burns and eye damage.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31 as amended

Version number 1 Printing date 02.03.2023 Revision: 02.03.2023

Trade name: 6 Iron

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Contd. of page 7)