

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

CA Code (Nufarm)	: 1932
Product code	: P433A;NLI1713
Oracle Recipe Code (Nufarm)	: 600000072
Item codes	: 110004458
Product form	: Mixture
Trade name	: Depitone Ultra
Type (Nufarm)	: Country Specific
Country (Nufarm)	: United Kingdom

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category	: Professional use
Use of the substance/mixture	: Herbicide

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Nufarm UK Limited  
Wyke Lane  
Wyke  
BD12 9EJ Bradford - UK  
T +44 (0)1274 691234 - F +44 (0) 1274691176  
[infouk@uk.nufarm.com](mailto:infouk@uk.nufarm.com)

#### 1.4. Emergency telephone number

Emergency number : +44 (0)1274 696603

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411

Full text of hazard classes and H-statements : see section 16

##### Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS09

Signal word (CLP)	: Warning
Hazardous ingredients	: 2,4-DICHLOROPHENOXY(ACETIC ACID, 2-ETHYLHEXYL ESTER)
Hazard statements (CLP)	: H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

# Depitone Ultra

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing, face protection, eye protection.  
P302+P352 - IF ON SKIN: Wash with plenty of water.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P391 - Collect spillage.  
P501 - Dispose of contents and container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

EUH-statements : EUH401 - To avoid risks to human health and the environment, comply with the instructions for use.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
KEROSENE - UNSPECIFIED - DISTILLATES (PETROLEUM), HYDROTREATED LIGHT	(CAS-No.) 64742-47-8 (EC-No.) 265-149-8 (EC Index-No.) 649-422-00-2	10-15	Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Alkylbenzene sulphonate, Calcium salt/2-ethyl hexanol	(CAS-No.) 26264-06-2; 104-76-7 (EC-No.) 247-557-8; 203-234-3 (REACH-no) 01-2119560592-37	4.0-4.5	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412
(2,4-DICHLOROPHENOXY) ACETIC ACID, 2-ETHYLHEXYL ESTER	(CAS-No.) 1928-43-4 (EC-No.) 217-673-3	81.62	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.  
First-aid measures after eye contact : Rinse eyes with water as a precaution.  
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Inhalation may cause irritation (cough, short breathing, difficulty in breathing).  
Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.  
Symptoms/effects after eye contact : May cause eye irritation.  
Symptoms/effects after ingestion : May cause irritation to the digestive tract.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# Depitone Ultra

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing vapours, spray, mist.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing vapours, spray, mist.  
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.  
Information on mixed storage : Keep away from food, drink and animal feeding stuffs. Keep out of the reach of children.  
Special rules on packaging : Keep only in original container. Store in a closed container.

#### 7.3. Specific end use(s)

Herbicide.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

##### Personal protective equipment:

Protective clothing. Gloves. Safety glasses.

##### Hand protection:

Protective gloves

##### Eye protection:

Safety glasses

##### Skin and body protection:

Wear suitable protective clothing

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



# Depitone Ultra

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: clear.
Colour	: Yellow.
Odour	: Ester.
Odour threshold	: No data available
pH	: 3.9 - 4.1 (20 °C ± 1 °C)
pH solution concentration	: 1 % (aqueous)
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 126 °C
Auto-ignition temperature	: 275 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.105 - 1.1088 (20°C)
Solubility	: Water: Emulsifiable
Log Pow	: 5.78 (2,4 D 2-EHE)
Viscosity, kinematic	: 19.82 mm <sup>2</sup> /s (40°C)
Viscosity, kinematic	: 54.67 mm <sup>2</sup> /s (20°C)
Viscosity, dynamic	: 21.98 mPa·s (40°C)
Viscosity, dynamic	: 60.62 mPa·s (20°C)
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing material according to EC criteria.
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). High temperature.

### 10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates : Carbon dioxide. Carbon monoxide. Hydrogen chloride. Sulphur oxides.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

# Depitone Ultra

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Depitone Ultra	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5.63 mg/l/4h

(2,4-DICHLOROPHENOXY) ACETIC ACID, 2-ETHYLHEXYL ESTER (1928-43-4)	
LD50 oral rat	720 - 982 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5.39 mg/l/4h

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes skin irritation. pH: 3.9 - 4.1 (20 °C ± 1 °C)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 3.9 - 4.1 (20 °C ± 1 °C)
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

Depitone Ultra	
Viscosity, kinematic	19.82 mm <sup>2</sup> /s (40°C)

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Very toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Depitone Ultra	
LC50 96h fish	> 100 mg/l <i>Oncorhynchus mykiss</i> (Rainbow trout)
EC50 48h crustacea	>= 100 mg/l <i>Daphnia magna</i>
EC50 72h algae	> 100 mg/l <i>Selenastrum capricornutum</i>
NOEC (chronic)	>= 55.3 mg/l <i>Daphnia magna</i>
NOEC chronic fish	63.4 mg/l <i>Pimephales promelas</i> (2,4-D; 32d ELS)
NOEC chronic algae	20.7 mg/l

#### Additional ecotoxicological information

EbC50 (*Selenastrum capricornutum*) 62.8mg/L  
 7 d EC50 (*Lemna minor*) 0.964 mg/L  
  
 14d ErC50 (*Myriophyllum spicatum*) 0.247 mg/L  
 14d ErC10 (*Myriophyllum spicatum*) 0.0592 mg/L  
  
 LC50 (*Eisenia fetida*) >120 mg/Kg soil  
  
 96 h LD50 oral/contact (*Apis mellifera*) >200 µg/bee

(2,4-DICHLOROPHENOXY) ACETIC ACID, 2-ETHYLHEXYL ESTER (1928-43-4)	
LC50 96h fish	> 0.24 mg/l <i>Menidia beryllina</i>
EC50 48h crustacea	0.25 mg/l <i>Daphnia magna</i> (Water flea)
EC50 other aquatic organisms 1	0.23 mg/l <i>Skeletonema costatum</i> ; 120h
ErC50 (algae)	0.202 mg/l <i>Myriophyllum spicatum</i> ; 14d
NOEC (chronic)	0.015 mg/l <i>Daphnia magna</i> (Water flea)
NOEC chronic fish	0.12 mg/l <i>Primephales promelas</i> 32 d ELS (flow-through)

# Depitone Ultra

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### (2,4-DICHLOROPHENOXY) ACETIC ACID, 2-ETHYLHEXYL ESTER (1928-43-4)

NOEC chronic algae	0.1875 Skeletonema costatum 120h
EC50, Lemna gibba (Duckweed)	0.5 mg/l (7 days)

#### 12.2. Persistence and degradability

### (2,4-DICHLOROPHENOXY) ACETIC ACID, 2-ETHYLHEXYL ESTER (1928-43-4)

Persistence and degradability	Readily biodegradable.
	6.2 h (natural water)
Biodegradation	DT50 1.1-3.2 hours (soil)

#### 12.3. Bioaccumulative potential

##### Depitone Ultra

Log Pow	5.78 (2,4 D 2-EHE)
Bioaccumulative potential	Low bioaccumulation potential.

### (2,4-DICHLOROPHENOXY) ACETIC ACID, 2-ETHYLHEXYL ESTER (1928-43-4)

Log Pow	5.78 (at 25 °C)
Bioaccumulative potential	Low bioaccumulation potential.

#### 12.4. Mobility in soil

##### Depitone Ultra

Mobility in soil	Mobile
------------------	--------

### (2,4-DICHLOROPHENOXY) ACETIC ACID, 2-ETHYLHEXYL ESTER (1928-43-4)

Mobility in soil	Very high to medium; K <sub>foc</sub> = 12-382 mL/g (2,4-D)
------------------	---

#### 12.5. Results of PBT and vPvB assessment

##### Depitone Ultra

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

##### Component

(2,4-DICHLOROPHENOXY) ACETIC ACID, 2-ETHYLHEXYL ESTER (1928-43-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
---	---

#### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA
<b>14.1. UN number</b>		
3082	3082	3082
<b>14.2. UN proper shipping name</b>		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D 2EHE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D 2EHE)	Environmentally hazardous substance, liquid, n.o.s. (2,4-D 2EHE)
<b>Transport document description (ADR)</b>		
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D 2EHE), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D 2EHE), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (2,4-D 2EHE), 9, III
<b>14.3. Transport hazard class(es)</b>		
9	9	9
<b>14.4. Packing group</b>		
III	III	III
<b>14.5. Environmental hazards</b>		
Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes

# Depitone Ultra


## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA
	Marine pollutant : Yes	
No supplementary information available		

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	: 
Tunnel restriction code (ADR)	: -
EAC code	: •3Z

#### - Transport by sea

Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A

#### - Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# Depitone Ultra

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Indication of changes:

Section	Changed item	Change	Comments
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Precautionary statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
7.2	Information on mixed storage	Added	
7.2	Special rules on packaging	Modified	
9.1	Viscosity, dynamic	Added	
9.1	Viscosity, kinematic	Added	
9.1	Viscosity, dynamic	Added	
9.1	pH solution concentration	Added	
9.1	pH	Added	
9.1	Viscosity, kinematic	Modified	
9.1	Odour	Modified	
9.1	Log Pow	Modified	
9.1	Relative density	Modified	
11.1	LD50 oral rat	Modified	
12.1	NOEC chronic fish	Added	
12.1	NOEC chronic algae	Added	
12.1	NOEC (chronic)	Added	
12.1	EC50 72h algae	Modified	
12.1	EC50 48h crustacea	Modified	
12.1	LC50 96h fish	Modified	
12.3	Log Pow	Modified	

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.



# Depitone Ultra

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

### NUFARM SDS TEMPLATE

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*