

## Safety data sheet

Page: 1/13

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 02.10.2013 Version: 1.0

Product: BLACK OUT LAKE COLOR

(ID no. 50340283/SDS\_GEN\_GB/EN)

Date of print 12.03.2015

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

## **BLACK OUT LAKE COLOR**

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Decorative colorant for use in horticulture and landscaping

## 1.3. Details of the supplier of the safety data sheet

Company:
BASF plc
PO Box 4, Earl Road, Cheadle Hulme,
Cheadle, Cheshire
SK8 6QG, UNITED KINGDOM
Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

#### 1.4. Emergency telephone number

Telephone: +49 180 2273-112

#### **SECTION 2: Hazards Identification**

#### 2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

No need for classification according to GHS criteria for this product.

According to Directive 67/548/EEC or 1999/45/EC

Date / Revised: 02.10.2013 Version: 1.0

Product: BLACK OUT LAKE COLOR

(ID no. 50340283/SDS\_GEN\_GB/EN)

Date of print 12.03.2015

Possible Hazards:

No specific dangers known, if the regulations/notes for storage and handling are considered.

#### 2.2. Label elements

Globally Harmonized System, EU (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: 1,2-BENZISOTHIAZOL-3(2H)-ONE

According to Directive 67/548/EEC or 1999/45/EC

**EEC Directives** 

The product does not require a hazard warning label in accordance with EC Directives.

The product contains: 1,2-BENZISOTHIAZOL-3(2H)-ONE May produce an allergic reaction.

#### 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

## **SECTION 3: Composition/Information on Ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

**Chemical nature** 

blend of pigments

<u>Hazardous ingredients (GHS)</u> according to Regulation (EC) No. 1272/2008

Date / Revised: 02.10.2013 Version: 1.0

Product: BLACK OUT LAKE COLOR

(ID no. 50340283/SDS\_GEN\_GB/EN)

Date of print 12.03.2015

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

Content (W/W): < 0.05 % Acute Tox. 4 (oral)
CAS Number: 2634-33-5 Skin Corr./Irrit. 2
EC-Number: 220-120-9 Eye Dam./Irrit. 1
INDEX-Number: 613-088-00-6 Skin Sens. 1
Aquatic Acute 1

H318, H315, H302, H317, H400

Hazardous ingredients

according to Directive 1999/45/EC

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

Content (W/W): < 0.05 % CAS Number: 2634-33-5 EC-Number: 220-120-9 INDEX-Number: 613-088-00-6 Hazard symbol(s): Xn, N R-phrase(s): 22, 38, 41, 43, 50

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

#### **SECTION 4: First-Aid Measures**

## 4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: No significant reaction of the human body to the product known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Date / Revised: 02.10.2013 Version: 1.0

Product: BLACK OUT LAKE COLOR

(ID no. 50340283/SDS\_GEN\_GB/EN)

Date of print 12.03.2015

## **SECTION 5: Fire-Fighting Measures**

#### 5.1. Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

#### 5.2. Special hazards arising from the substance or mixture

carbon monoxide, Carbon dioxide, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire.

#### 5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

#### **SECTION 6: Accidental Release Measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

#### 6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

#### 6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

#### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

## **SECTION 7: Handling and Storage**

## 7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Date / Revised: 02.10.2013 Version: 1.0

Product: BLACK OUT LAKE COLOR

(ID no. 50340283/SDS\_GEN\_GB/EN)

Date of print 12.03.2015

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

#### 7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

#### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## **SECTION 8: Exposure Controls/Personal Protection**

## 8.1. Control parameters

Components with occupational exposure limits

No occupational exposure limits known.

#### 8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Respiratory protection not required.

#### Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other

#### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## **SECTION 9: Physical and Chemical Properties**

#### 9.1. Information on basic physical and chemical properties

Form: liquid

Date / Revised: 02.10.2013 Version: 1.0

Product: BLACK OUT LAKE COLOR

(ID no. 50340283/SDS\_GEN\_GB/EN)

Date of print 12.03.2015

Colour: dark Odour: odourless

Odour threshold:

not applicable, odour not perceivable

pH value: approx. 7 - 9.5

(20 °C)

Melting temperature: approx. 0 °C

Information applies to the solvent.

boiling temperature: approx. 100 °C

Information applies to the solvent.

Flash point: > 100 °C

Evaporation rate:

Flammability:

not applicable not applicable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Ignition temperature:

Based on the water content the

product does not ignite.

Vapour pressure: approx. 23.4 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 1.0 g/cm3

(20 °C)

Relative vapour density (air):

Heavier than air.

Solubility in water: soluble

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Viscosity, kinematic:

Forms a viscous solution.

Explosion hazard: Based on the chemical structure

there is no indicating of explosive

properties.

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

#### 9.2. Other information

Date / Revised: 02.10.2013 Version: 1.0

Product: BLACK OUT LAKE COLOR

(ID no. 50340283/SDS\_GEN\_GB/EN)

Date of print 12.03.2015

#### Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

## **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

## 10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

## 10.5. Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

## 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

## **SECTION 11: Toxicological Information**

#### 11.1. Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

#### Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

## Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Date / Revised: 02.10.2013 Version: 1.0

Product: BLACK OUT LAKE COLOR

(ID no. 50340283/SDS\_GEN\_GB/EN)

Date of print 12.03.2015

#### Germ cell mutagenicity

#### Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

## Carcinogenicity

#### Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

#### Reproductive toxicity

#### Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### Developmental toxicity

#### Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

## Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

#### Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organioxicity was observed after repeated administration to animals.

#### Other relevant toxicity information

Misuse can be harmful to health.

## **SECTION 12: Ecological Information**

## 12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Toxicity to fish:

No data available.

#### Aquatic invertebrates:

No data available.

Date / Revised: 02.10.2013 Version: 1.0

Product: BLACK OUT LAKE COLOR

(ID no. 50340283/SDS\_GEN\_GB/EN)

Date of print 12.03.2015

Aquatic plants: No data available.

## 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components. Colourants are by their nature very stable and are therefore not readily biodegradable under conditions prevailing in surface water or in effluent treatment plants.

#### 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested.

Bioaccumulation potential:

Significant accumulation in organisms is not to be expected.

## 12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption to solid soil phase is expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

## 12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

#### 12.6. Other adverse effects

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

#### 12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

## **SECTION 13: Disposal Considerations**

#### 13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

Date / Revised: 02.10.2013 Version: 1.0

Product: BLACK OUT LAKE COLOR

(ID no. 50340283/SDS\_GEN\_GB/EN)

Date of print 12.03.2015

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

## **SECTION 14: Transport Information**

## **Land transport**

**ADR** 

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable

user

**RID** 

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

#### **Inland waterway transport**

ADN

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable

user

Transport in inland Not evaluated

waterway vessel:

#### Sea transport

**IMDG** 

Date / Revised: 02.10.2013 Version: 1.0

Product: BLACK OUT LAKE COLOR

(ID no. 50340283/SDS\_GEN\_GB/EN)

Date of print 12.03.2015

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

#### Air transport

#### IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

#### 14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

#### 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

## 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

## 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation: Not evaluated Shipment approved: Not evaluated Pollution name: Not evaluated

Date / Revised: 02.10.2013 Version: 1.0

Product: BLACK OUT LAKE COLOR

(ID no. 50340283/SDS\_GEN\_GB/EN)

Date of print 12.03.2015

Pollution category: Not evaluated Ship Type: Not evaluated

## **SECTION 15: Regulatory Information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

## 15.2. Chemical Safety Assessment

Assessment of safe use has been performed for the mixture and the result is documented in section 7 and 8 of the SDS

#### **SECTION 16: Other Information**

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

Xn Harmful.

N Dangerous for the environment.

Harmful if swallowed.

Irritating to skin.

41 Risk of serious damage to eyes.

43 May cause sensitization by skin contact.

Very toxic to aquatic organisms.

Acute Tox. Acute toxicity

Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit. Serious eye damage/eye irritation

Skin Sens. Skin sensitization

Aquatic Acute Hazardous to the aquatic environment - acute

H318 Causes serious eye damage.

H315 Causes skin irritation. H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

If you have any queries relating to this MSDS, it's contents or any other product safety related questions, please write to the following e-mail address: Produktinformation-Pflanzenschutz@basf.com

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility

Page: 13/13

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 02.10.2013 Version: 1.0

Product: BLACK OUT LAKE COLOR

(ID no. 50340283/SDS\_GEN\_GB/EN)

Date of print 12.03.2015

of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.