

EXCEL WETTING AGENT

Page: 1 Compilation date: 27/02/2012 Revision date: 18/06/2014 Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: EXCEL WETTING AGENT

Product code: 8224

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC27: Plant protection products.

1.3. Details of the supplier of the safety data sheet

Company name:	Amega Sciences Plc
	Unit 17
	Lanchester Way
	Daventry
	Northamptonshire
	NN11 8PH
	United Kingdom
Tel:	+44 (0) 1327 704 444
Fax:	+44 (0) 01327 311 226
Email:	admin@amega-sciences.com

1.4. Emergency telephone number

Emergency tel: +44 (0) 7802844234

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412 Classification under CHIP: -: R52/53 Most important adverse effects: Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements under CLP:	
Hazard statements:	H412: Harmful to aquatic life with long lasting effects.
Precautionary statements:	P273: Avoid release to the environment.
	P501: Dispose of contents/container to a licensed hazardous waste site via licensed
	waste carriers.
	P262: Do not get in eyes, on skin, or on clothing.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P302+350: IF ON SKIN: Gently wash with plenty of soap and water.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

PBT: This product is not identified as a PBT substance.

Section 3: Composition/information on ingredients

EXCEL WETTING AGENT

3.2. Mixtures

Hazardous ingredients:

.

POLY(OXY-1,2-ETHANEDIYL), ALPHA, METHYL, OMEGA -[3-[1,3,3,3-TETRAMETHYL-1-[(TRIMETHYLSILYL)OXY]-1-DISILOXANYL]PROPOXY]-

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	27306-78-1	-	Acute Tox. 4: H332; Aquatic Chronic 2: H411; Eye Irrit. 2: H319	5-10%
POLYETHYLEN	NE GLYCOL ALL	YL METHYL ETHER		
-	27252-80-8	-	Acute Tox. 4: H302	1-5%
BRONOPOL (IN	NN)			
200-143-0	52-51-7	-	Acute Tox. 4: H312; Acute Tox. 4: H302; STOT SE 3: H335; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400	<1%

Section 4: First aid measure	S	
4.1. Description of first aid m	leasures	
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.	
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.	
Ingestion:	Wash out mouth with water. Consult a doctor.	
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.	
4.2. Most important sympton	ns and effects, both acute and delayed	
Skin contact:	There may be irritation and redness at the site of contact. An itchy rash may occur at the site of contact.	
Eye contact:	There may be irritation and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred.	
Ingestion:	There may be soreness and redness of the mouth and throat.	
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.	
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.	
4.3. Indication of any immediate medical attention and special treatment needed		
Immediate / special treatment:	Eye bathing equipment should be available on the premises. Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.	
Section 5: Fire-fighting mean	sures	
5.1. Extinguishing media		
Extinguishing media:	Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.	
5.2. Special hazards arising	rom the substance or mixture	
Exposure hazards:	In combustion emits toxic fumes.	
5.3. Advice for fire-fighters		
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact	

with skin and eyes.

Page: 2

EXCEL WETTING AGENT

Page: 3

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.
 Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

8.1. DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency.
Hand protection:	Protective gloves. BS EN 374:2008
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.
Environmental:	Refer to specific Member State legislation for requirements under Community environmental legislation.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

EXCEL WETTING AGENT

Colour:	Colourless		
Odour:	Odourless		
Evaporation rate:	Negligible		
Oxidising:	Non-oxidising (by EC criteria)		
Solubility in water:	Miscible in all proportions		
Viscosity:	Non-viscous		
Melting point/range°C:	~ 0	Flammability limits %: lower:	No Data
upper:	No Data	Part.coeff. n-octanol/water:	No Data
Autoflammability°C:	No Data	Vapour pressure:	No Data
Relative density:	1.030 - 1.050	pH:	Approx. 7
VOC g/l:	No Data		

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

BRONOPOL (INN)

ORL	MUS	LD50	270	mg/kg
ORL	RAT	LD50	180	mg/kg
SKN	MUS	LD50	4750	mg/kg
SKN	RAT	LD50	1600	mg/kg

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact. An itchy rash may occur at the site of contact.
 Eye contact: There may be irritation and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred.
 Ingestion: There may be soreness and redness of the mouth and throat.

Page: 4

EXCEL WETTING AGENT

Page: 5

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Slightly bioaccumulable.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms. Harmful to soil organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal
	company.
Recovery operations:	Not applicable.
Disposal of packaging:	Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and 3:	H302: Harmful if swallowed.
	H312: Harmful in contact with skin.

EXCEL WETTING AGENT

H315: Causes skin irritation.
H318: Causes serious eye damage.
H319: Causes serious eye irritation.
H332: Harmful if inhaled.
H335: May cause respiratory irritation.
H400: Very toxic to aquatic life.
H411: Toxic to aquatic life with long lasting effects.
H412: Harmful to aquatic life with long lasting effects.
R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Page: 6