Material Safety Data Sheet

According to EC Regulation 1907/2006

Print date: 11-Jun-2012 Revision Number: 1 Revision date: 11-Jun-2012

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Identification of the substance or preparation
MSDS Ref. No.:
4194.01.25

Product name: Sierrablen Plus 15-0-28+2MgO

Use of the Substance/Preparation

MSDS Ref. No.: 4194.01.25

Recommended use: Granulated fertilizer.

<u>Company/Undertaking</u> • Everris International BV

<u>Identification</u> Nijverheidsweg 1-5; 6422 PD Heerlen (NL)

Tel: ++31 (0) 45-5609100; Fax: ++31 (0) 45-5609190

Emergency telephone number: +44 1235 239 670 (24h)

Email INFO-MSDS@EVERRIS.com

2. HAZARDS IDENTIFICATION

Classification

Indication of danger:

This product does not have to be classified according to the EU regulations (1999/45/EC)

Most important hazards

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature of the preparation

Ingredients	CAS-No	Weight %	EC-No.	Classification

Revision date: 11-Jun-2012 Page 1 of 7

MSDS Ref. No.: 4194.01.25 Sierrablen Plus 15-0-28+2MgO

Sulphur, S	7704-34-9	1 - 5%	231-722-6	Xi;R38
Magnesium oxide, MgO	1309-48-4	1 - 5%	215-171-9	NE
Calcium sulphate dihydrate, CaSO4+2H2O	10101-41-4	1 - 5%	231-900-3	NE
Iron sulphate, FeSO4+1H2O	7720-78-7	< 1%	231-753-5	Xn;R22 R36/38
Manganese sulphate, MnSO4	7785-87-7	< 1%	232-08-99	N;R51/53 Xn;R48/20/22

NE = Non-Established

For the full text of the R phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice: If you feel unwell, seek medical advice (show the label where possible).

Ingestion: Do not induce vomiting without medical advice. If a person vomits when lying on his

back, place him in the recovery position. Never give anything by mouth to an unconscious person. In case of respiratory difficulties practice oxygenotherapy.

Possible symptoms are nausea and/or vommiting.

Inhalation: In case of shortness of breath, give oxygen. Possible symptoms are coughing and/or

dyspnoea. Move to fresh air. If symptoms persist, call a physician.

Skin contact: If a person feels unwell or symptoms of skin irritation appear, consult a physician.

Eye contact: Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists,

consult a specialist.

Notes to physician: Artificial respiration and/or oxygen may be necessary

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Coordinate fire extinguishing measures to fire in surrounding area. Use dry chemical, CO2, water spray or "alcohol" foam.

Unsuitable extinguishing media:

Not applicable

Special exposure hazards arising from the substance or preparation itself, its combustion products, or released gases:

Thermal decomposition can lead to release of irritating gases and vapours.

Special protective equipment for firefighters:

Wear self contained breathing apparatus for fire fighting if necessary.

Hazchem code:

None

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Ensure adequate ventilation. Avoid dust formation. Use personal protective equipment. Wear personal protective equipment.

Revision date: 11-Jun-2012 Page 2 of 7

Environmental precautions:

MSDS Ref. No.: 4194.01.25

Prevent product from entering drains. Do not contaminate surface water.

Methods for cleaning up:

Shovel or sweep up. Do not create a powder cloud by using a brush or compressed air. Prevent product from entering drains.

7. HANDLING AND STORAGE

Handling:

Technical measures/precautions:No special technical protective measures required.

Safe handling advice: Keep away from open flames, hot surfaces and sources of

ignition.

Storage:

Technical measures/storage conditions: Keep away from heat and sources of ignition. Keep away

from food, drink and animal feeding stuffs. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used bags should be closed well. Keep at

temperatures between 0 °C and 40 °C.

Incompatible products: Not applicable

Specific use(s): Granulated fertilizer.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure: Ensure adequate ventilation.

Occupational exposure controls

Personal protective equipment

Respiratory protection: Not applicable.

Hand protection: PVC or other plastic material gloves.

Eye/face protection Safety glasses.

Skin and body protection:Usual safety precautions while handling the product will

provide adequate protection against this potential effect.

Hygiene measures Follow good housekeeping practices. When using, do not

eat, drink or smoke. Keep away from food, drink and animal

feeding stuffs.

Exposure limit values

Sulphur, S

Australia TWA N.A

France INRS (VME) VME (poussières) = 10 mg/m³

Magnesium oxide, MgO

 ACGIH:
 10 mg/m³ TWA

 OSHA:
 15 mg/m³ TWA total

 Australia TWA
 10 mg/m³ TWA

Revision date: 11-Jun-2012 Page 3 of 7

Sierrablen Plus 15-0-28+2MgO

Austria - MAKs	6 mg/m³
Belgium - 8 Hr VLE	10 mg/m ³
Czech Republic OEL	5 mg/m³ TWA
France - Valeurs Limites d'exposition (VLE)	10 mg/m ³
France INRS (VME)	10 mg/m³ VME
Germany (DFG) - MAK	6 mg/m³
Netherlands - OEL - MACs:	10 mg/m ³
Norway - 8 h:	10 mg/m ³
Portugal - TWAs	10 mg/m³ TWA
Spain - Valores Limite Ambientales - VLE	10 mg/m³ VLA-ED
UK EH40 WEL:	10 mg/m ³
Calcium sulphate dihydrate, CaSO4+2H2O	
ACGIH:	10 mg/m ³ TWA
OSHA:	15 mg/m³ TWA total
	5 mg/m³ TWA
Australia TWA	10 mg/m³ TWA
Belgium - 8 Hr VLE	10 mg/m³ TWA
France INRS (VME)	10 mg/m³ VME
Germany TRGS900:	6 mg/m ³ TWA
Germany (DFG) - MAK	1.5 mg/m³ MAK
	4 mg/m³ MAK
Portugal - TWAs	10 mg/m³ TWA
Spain - Valores Limite Ambientales - VLE	10 mg/m³ VLA-ED
UK EH40 WEL:	10 mg/m³ TWA
	4 mg/m³ TWA
Iron sulphate, FeSO4+1H2O	
ACGIH:	1 mg/m³ TWA
Australia TWA	1 mg/m³ TWA
Belgium - 8 Hr VLE	1 mg/m³
Finland - Occupational Exposure Limits - 8 hour	1 mg/m ³
Netherlands - OEL - MACs:	1 mg/m ³
Norway - 8 h:	0.01 mg/m ³
Portugal - TWAs	1 mg/m³ TWA
Spain - Valores Limite Ambientales - VLE	1 mg/m³ VLA-ED
UK EH40 WEL:	LTEL (8 hr TWA) 1 mg/m ³
	STEL (15 min) 2mg/m ³
Manganese sulphate, MnSO4	
ACGIH:	0.2 mg/m ³ TWA
Australia TWA	1 mg/m³ TWA
Belgium - 8 Hr VLE	0.2 mg/m ³
Czech Republic OEL	= 1 mg/m³ TWA
Finland - Occupational Exposure Limits - 8 hour	0.5 mg/m ³
Germany TRGS900:	0.5 mg/m³ TWA
Germany (DFG) - MAK	0.5 mg/m ³ MAK
Netherlands - OEL - MACs:	1 mg/m³
Norway - 8 h:	2.5 mg/m ³
Portugal - TWAs	0.2 mg/m ³ TWA
Chain Valence Limite Ambientales VIII	0.0 / 3 \ // A ED

Spain - Valores Limite Ambientales - VLE

Sweden - OEL - 8 Hour

UK EH40 WEL:

MSDS Ref. No.: 4194.01.25

9. PHYSICAL AND CHEMICAL PROPERTIES

0.2 mg/m³ VLA-ED

0.1 mg/m³ LLV 0.2 mg/m³ LLV

5 mg/m³

Revision date: 11-Jun-2012 Page 4 of 7

MSDS Ref. No.: 4194.01.25

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Physical State: Solid Appearance: Granular

Color: Orange, Light grey
Odor: No information available

Important Health Safety and Environmental Information

Boiling point/range:Melting point/range:
Not applicable
Not applicable
Decomposition temperature:
> 150°C

Solubility: Coating not soluble, release nutrients through coating

Vapour pressure Not applicable Vapour density Not applicable

Explosive properties: Doesn't present explosion hazard

Flammability (solid, gas): Non-flammable

Other information

pH: No information available

Bulk density: 800 - 1100 kg/m³

10. STABILITY AND REACTIVITY

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition.

Hazardous decomposition

products

No decomposition if stored normally. Thermal decomposition can lead to release of

irritating gases and vapours.

Hazardous reactions None reasonably foreseeable

11. TOXICOLOGICAL INFORMATION

Component information

Sulphur, S

LD50/oral/rat = > 2000 mg/kg **LD50/dermal/rat** = > 2000 mg/kg **LC50/inhalation/4h/rat** = > 5,4 mg/l

Iron sulphate, FeSO4+1H2O

LD50/oral/rat = 1389 mg/kg

Manganese sulphate, MnSO4

LD50/oral/rat = 9 g/kg

Product information

Local effects

Skin effects: May cause skin irritation in susceptible persons.

Revision date: 11-Jun-2012 Page 5 of 7

MSDS Ref. No.: 4194.01.25 Sierrablen Plus 15-0-28+2MgO

Eye effects: Contact with eyes may cause irritation.

Inhalation: May cause sensitization by inhalation.

Ingestion: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

12. ECOLOGICAL INFORMATION

Product information

Aquatic toxicity: No ecological information is known on the product

EcotoxicityNo ecological information is known on the product

Persistence and degradability

No persistent or cumulative effects were observed

Bioaccumulative potential Does not bioaccumulate

Mobility in soil No information available

Component information

Sulphur, S

Ecotoxicity effectsNo information available

Calcium sulphate dihydrate, CaSO4+2H2O

Ecotoxicity effects No information available

Iron sulphate, FeSO4+1H2O

Ecotoxicity effects EC50/48h/daphnia = >100mg/l

LC50/96h/rainbow trout = >72.5mg/l (6d)

EC50/72h/algae = 22mg/l

Manganese sulphate, MnSO4

Ecotoxicity effects EC50/48h/daphnia => 100 mg/l

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods: Use up product completely. Packaging material is industrial waste

Contaminated packaging: Empty containers can be landfilled, when in compliance with the local regulations

14. TRANSPORT INFORMATION

Product information

Physical State: Solid

Revision date: 11-Jun-2012 Page 6 of 7

Sierrablen Plus 15-0-28+2MgO

MSDS Ref. No.: 4194.01.25

14. TRANSPORT INFORMATION

ADR/RID

UN-No: Not classified for transport

IATA

UN-No: Not classified for transport

IMO / IMDG

UN-No: Not classified for transport

15. REGULATORY INFORMATION

Indication of danger:

This product does not have to be classified according to the EU regulations (1999/45/EC)

In accordance with local and national regulations

ICPE (FR): Classified installation: article NE

GefStoffV (DE): Not applicable

16. OTHER INFORMATION

Text of R Phrases mentioned in Section 3

R22 - Harmful if swallowed.

R38 - Irritating to skin.

R36/38 - Irritating to eyes and skin.

R48/20/22 - Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

*** Indicates changes since the last revision. This version replaces all previous Reason for revision:

versions

11-Jun-2012 **Revision date:**

Prepared by: Regulatory Affairs Department.

End of Safety Data Sheet

Revision date: 11-Jun-2012 Page 7 of 7